

International Journal of **Supply Chain and Logistics**

(IJSCL)

**Migrating from Decentralized to Embedded Warehouse
Management in SAP S/4HANA**



**CARI
Journals**

Migrating from Decentralized to Embedded Warehouse Management in SAP S/4HANA



Varun Kumar Reddy Gaddam

MYGO Consulting, SAP Solution Architect, Illinois, United States.

<https://orcid.org/0009-0006-7557-5804>

Accepted: 24th Sep, 2026, Received in Revised Form: 9th Oct, 2026, Published: 23rd Oct, 2026

Abstract

Purpose: This paper examines the decision to move from decentralized SAP Extended Warehouse Management to embedded EWM in SAP S/4HANA and aims to provide practitioners with a clear basis for choosing a deployment, selecting a migration approach, and sequencing the cutover so the warehouse returns online with its stock intact.

Methodology: This paper develops a proposed practitioner framework through conceptual synthesis of SAP product documentation and selected enterprise-system and warehouse research. It compares deployment models and migration routes and specifies a proposed cutover checklist. An illustrative cost scenario is constructed from explicitly stated planning assumptions; it is not a measured benchmark or validated prediction.

Proposed framework and implications: Embedded EWM can reduce separate-system administration and some cross-system replication for shared objects, whereas decentralized EWM can support architectural isolation and independent lifecycle planning. Deployment selection should consider measured peak workload, interfaces, system ownership, and release constraints. The proposed cutover framework prioritizes the treatment of open work, stock and HU reconciliation, data migration, documented acceptance thresholds, rehearsals, and a rollback decision. In a hypothetical scenario, assumed annual gross savings total US\$250,000–US\$620,000; neither the ranges nor project payback have been empirically validated.

Unique contribution to theory, practice, and policy: The paper connects evidence on enterprise-system implementation with SAP EWM migration practice and provides a practitioner-oriented framework linking deployment choice, migration route, cutover discipline, and recurring landscape costs. It emphasizes that deployment should follow transaction volume, lifecycle, and landscape strategy rather than technology novelty, and that repeated mock cutovers are central to migration readiness.

Keywords: *SAP Extended Warehouse Management, SAP S/4HANA, Embedded Deployment, System Migration, Cutover Strategy*

1. INTRODUCTION

For many years, demanding SAP warehouses have been deployed on a dedicated Extended Warehouse Management (EWM) system connected to an enterprise resource planning (ERP) core. SAP S/4HANA also supports embedded EWM in the ERP system, creating a choice between integration simplicity and a separate warehouse lifecycle. The decision has become more pressing for organizations running legacy SAP SCM EWM: SAP states that mainstream maintenance for SAP EWM 9.5 ends on 31 December 2027, while lower releases have release-specific timelines (SAP, 2024; SAP Note 2911449). The maintenance milestone is an incentive to assess modernization, not proof that embedded EWM is preferable in every landscape.

This paper takes that question seriously from a practitioner standpoint. It compares the two architectures, outlines the deployment options S/4HANA offers, weighs the migration approaches, and, because the cutover phase is where projects succeed or fail, describes the cutover in some detail. Because not every reader lives inside SAP warehousing, the discussion begins with the shape of the problem before turning to the mechanics.




Figure 1: Schematic architecture comparison. Standalone decentralized EWM exchanges selected data and delivery messages with ERP, while embedded EWM operates in the same S/4HANA system. The diagram is conceptual; actual interfaces differ by release and process.

2. LITERATURE REVIEW

Three streams of work bear on this topic: research on enterprise system implementation and its success factors; a smaller body of work on converting legacy systems to new platforms; and warehouse management literature that describes the purpose of the system in question.

2.1 Enterprise System Implementation

Nah et al. (2001) identify general ERP implementation success factors, while Finney and Corbett (2007) synthesize change management, leadership, and training issues. These works provide contextual implementation theory, not direct empirical evidence for SAP S/4HANA or EWM migrations. More specific technical guidance is supplied by SAP documentation on SAP S/4HANA–EWM integration, release-specific migration objects, and deployment options (SAP Help Portal, 2023; SAP Help Portal, 2025). Accordingly, the relevance of earlier ERP success

factors to the present migration is treated as a proposition to be evaluated rather than a directly established result.

2.2 System Conversion and Migration

Greenfield, system conversion (often called brownfield), and selective transition are broad SAP transformation planning categories; they should not be interpreted as three equally supported direct tools for converting a standalone decentralized EWM database into embedded EWM. A greenfield strategy configures a target embedded warehouse and migrates supported master and transactional data. A system conversion may preserve elements of an existing S/4HANA landscape, but moving a separate EWM instance into another S/4HANA system requires its own feasibility and data-transition design. A selective strategy retains approved processes or data while redesigning others. The appropriate route must be confirmed against the source/target releases, SAP-supported migration objects, and custom developments (SAP Help Portal, 2023).

2.3 Warehouse Management Systems

De Koster et al. (2007) discuss order-picking system design and control, and Gu et al. (2010) reviewed warehouse physical design and performance. These studies establish the operational importance of warehouse throughput and accuracy, but do not validate WMS software architecture or a migration method. For software-specific deployment and interface behavior, this paper therefore uses SAP EWM product and integration documentation (SAP Help Portal, 2025). A more extensive review of the empirical literature on WMS architecture remains a limitation of the present synthesis.

2.4 Research Gap

The literature on ERP implementation and warehouse operations does not establish a validated procedure for migrating a separate SAP EWM installation to embedded SAP S/4HANA EWM. This paper proposes an integrated decision-and-cutover framework. Its propositions should be tested through documented conversion cases, workload measurements, and independent practitioner reviews.

3. METHODOLOGY

This paper uses a non-empirical conceptual synthesis. Its SAP-specific basis is the SAP S/4HANA on-premises integration documentation, SAP guidance for decentralized EWM deployment, the SAP S/4HANA 2023 FPS01 migration-object announcement, and SAP maintenance guidance (SAP Help Portal, 2023; SAP Help Portal, 2025; SAP, 2024). SAP S/4HANA 2023 FPS01 is used as a documented example of available warehouse storage-bin, fixed-bin-assignment, and stock staging-table objects; it is not assumed that identical functions exist in every target release. Source-system release, licensing, interfaces, and supported data

objects must be confirmed with the current SAP Help Portal, Product Availability Matrix, and applicable SAP Notes for the actual project.

The financial illustration is an authored planning scenario, not a published industry benchmark or an observed case. It assumes annual avoided costs of US\$150,000–US\$400,000 for a separately operated EWM stack, US\$60,000–US\$120,000 for selected cross-system integration support, and US\$40,000–US\$100,000 for manual discrepancy investigation. These are scenario inputs selected to illustrate a sensitivity range, not figures derived from SAP or external field evidence. Their sum is US\$250,000–US\$620,000 per year before migration cost, continuing shared-system capacity cost, potential license changes, and any overlap between categories. No return on investment or payback period is inferred. Future validation should compare these assumptions with actual client cost-center records and realized savings.

4. PROPOSED FRAMEWORK AND ANALYSIS

4.1 The Two Architectures Compared

The fundamental difference is the deployment boundary. In decentralized EWM, ERP and EWM run in separate systems; relevant delivery messages use asynchronous integration and queued Remote Function Calls (qRFC) in documented scenarios (SAP Help Portal, 2025). With embedded EWM, ERP and EWM share a single SAP S/4HANA system, and certain common data models and interactions no longer require cross-system replication. This does not mean every interface, stock reconciliation, or operational control disappears; external systems, inventory versus warehouse stock levels, and process-specific postings still require monitoring. The benefits and constraints depend on configured scope and release.

Table 1: Comparison of decentralized and embedded EWM.

Dimension	Decentralized EWM	Embedded EWM
Integration	ERP and EWM exchange data through the core interface and queued RFC, which must be built and monitored.	Shared objects need no replication; data is available in one system in real time.
Master data	Materials and business partners are replicated to the EWM system.	Master data is shared, not copied.
Performance	The warehouse load is isolated on its own stack, which is well-suited to very high volumes.	The warehouse and core share a single system sized to accommodate both.
Lifecycle	The two systems can be upgraded on independent schedules.	EWM upgrades move with the S/4HANA core.
Landscape	Two systems to run, secure, and support	One system to run, secure, and support

4.2 Deployment Options and when each fits

SAP S/4HANA supports embedded EWM and a separately deployed decentralized EWM system based on SAP S/4HANA. Legacy SAP SCM-based EWM is a source landscape requiring a transition plan, not a recommended new deployment target. SAP states mainstream maintenance for SAP SCM EWM 9.5 continues through 31 December 2027; earlier releases require an individual lifecycle check (SAP, 2024; SAP Note 2911449). Embedded EWM is a candidate where integration, system consolidation, and a coordinated ERP/EWM lifecycle are priorities. Decentralized EWM is a candidate where a separate lifecycle, integration to multiple ERP systems, or workload isolation is justified. Neither option should be selected on an unquantified statement that warehouse volume is “very high”.

Proposed sizing test: record average and peak inbound/outbound delivery items per hour, warehouse tasks created and confirmed per hour, goods movements per hour, concurrent RF users, automation/MFS message rates, batch-job peaks, number of warehouses and ERP integrations, plus maximum tolerated response time and downtime. Use at least representative peak-day traces and projected growth and run release-specific SAP sizing and performance tests (including relevant Quick Sizer and workload analysis where applicable). This paper proposes no universal task-volume threshold: isolation is justified only where measured peak behavior, capacity modeling and service-level requirements favor it.




Figure 2: Deployment options on SAP S/4HANA. Embedded EWM is the integrated default; decentralized EWM on S/4HANA isolates very high volume or an independent upgrade cadence; and legacy EWM on SAP SCM is being retired.

4.3 Migration Approaches

Three broad transition strategies may guide planning, subject to actual SAP-supported conversion routes. A greenfield strategy creates a new embedded EWM target and migrates approved configuration and data. A system-conversion strategy may be relevant to an ERP system transformation, but it must not be presented as a one-step technical conversion from standalone decentralized EWM to embedded EWM; the source and target system boundaries and releases govern the feasible steps. A selective approach redesigns or retains processes and data under a

separately approved transition plan. SAP S/4HANA 2023 FPS01 documents staging-table migration objects for storage bins, fixed-bin assignments, and warehouse stock; applicability to a particular landscape must be checked (SAP Help Portal, 2023). The choice depends on custom enhancements, volume, business disruption, supported objects, validation effort, and operational risk.

Three routes to embedded EWM




Figure 3: Conceptual transition-strategy categories. A greenfield target, system conversion, and selective transition are strategic labels, not a claim of direct one-step support for converting a standalone EWM database into embedded EWM; release-specific transition design is required.

4.4 Cutover Strategy

A proposed cutover sequence begins with design and rehearsal rather than the go-live weekend. Establish a freeze on inbound and outbound creation or define controlled exceptions; complete or deliberately cancel remaining warehouse tasks and warehouse orders; isolate exception stock; reconcile ERP inventory postings with EWM stock at the relevant product, plant/storage location, batch, stock type, and unit-of-measure levels; and independently validate physical stock, bins, and handling-unit structures. Treat storage bins and warehouse master/configuration data as a distinct migration workstream, not as open documents. Inventory and logistics documents must be mapped, including partially processed inbound deliveries, outbound delivery orders, goods issues/receipts, serial-number requirements, and batch-managed stock. For each document state, specify whether it will be completed in the source, closed and recreated, or transferred by a verified supported mechanism. Do not assume all open transactions can be technically migrated.

Suggested cutover control gates: (1) approve target configuration and master data; (2) confirm stock, HU, batch, serial and bin-level reconciliation with documented tolerances; (3) validate migrated or recreated open deliveries and warehouse tasks against signed-off counts; (4) test ERP/EWM integration, RF, printing, automation and critical inbound/outbound flows; and (5) authorize go-live only after business and technical owners sign off. Define a decision deadline and an executable fallback plan before data loads begin. If a material discrepancy or critical process test fails, stop go-live and follow the approved recovery or rollback procedure, considering whether source transactions have resumed. Multiple mock cutovers should measure load duration,

discrepancy resolution, decision lead time, and recovery. These steps constitute a proposed checklist, not a validated universal recipe.





Figure 4: Proposed cutover overview. Freeze and disposition open work; reconcile stock and handling units; migrate and validate master data and permitted open documents; run critical process checks; make a documented go/no-go decision; then provide hyper care. The figure is conceptual, and the detailed gates are specified in Section 4.4.

Migration from WM to EWM



WM: Warehouse No. Description	Ext. WM	Ext. Mode	UD: Batch/Delet. CR H. EWM	Comm. WM	Deliv. Chg	SN Dec. WM	Customer Stock
001 Central whse (full WM)	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
100 Lean WM (without stock)	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
111	E EWM (Extended Warehouse Mgmt)	Distribution Immediately a.	☐	☒	☐	☐	Prevent Delivery Creation
SDH SDH-EWM	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
117 S. WM	E EWM (Extended Warehouse Mgmt)	Distribution Immediately a.	☐	☐	☐	☐	
161 Central whse (full WM)	X Decentral WM	Distribution Immediately a.	☐	☐	☐	☐	
161 MILTON WAREHOUSE	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
162 Loading Object	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
162 MS Parts	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
161 MS Parts	X EWM (Extended Warehouse Mgmt)	Distribution Immediately a.	☐	☐	☐	☐	Prevent Delivery Creation
200 MF Warehouse	X EWM (Extended Warehouse Mgmt)	Distribution Immediately a.	☐	☐	☐	☐	Prevent Delivery Creation
201 Warehouse (TM)	Local WM	Distribution Immediately a.	☐	☐	☐	☐	
202 Warehouse	X EWM (Extended Warehouse Mgmt)	Distribution Immediately a.	☐	☐	☐	☐	Prevent Delivery Creation

Figure 7: Migration warehouse management or Legacy to SAP EWM configuration screenshot (illustrative comparison only).

Model Distribution ERP to EWM




Figure 9: ERP-to-EWM distribution model integration landscape screenshot. This illustrates an integration consideration for inventory during transition; whether a given model remains relevant depends on source and target releases.

Bin Upload




Figure 10: Storage-bin upload screen. Bin master-data validation and migration mapping can form part of target-system preparation; use release-specific SAP-supported migration mechanisms for the actual project.

Stock Upload




Figure 11: Stock transfer/upload screen. This illustrates the category of stock-loading activity, not a universally supported direct migration procedure. Reconcile stock by product, batch, stock type, bin, and HU before and after cutover.

4.5 What Embedded Changes

Embedded EWM can simplify the technical landscape by keeping ERP and warehouse execution in a single S/4HANA system and reducing replication of certain shared data. It does not eliminate all interfaces or warehouse-versus-inventory consistency checks. Reconciliation remains relevant for exceptions, asynchronous external flows, posting differences, and the migration itself. Operational effects should be confirmed for the specific release, deployment scope, and connected systems (SAP Help Portal, 2025).

What embedded simplifies




Figure 5: Conceptual simplification opportunities for shared data and application administration. Neither all interfaces nor all stock-reconciliation controls disappear in embedded EWM.

4.6 Benefits and Estimated Financial Impact

Potential benefits include retiring a separately operated application stack, reducing some inter-system support activities and simplifying certain data flows. Such changes do not automatically

increase picking speed, eliminate all reconciliation or yield predetermined savings. Under the hypothetical inputs defined in Section 3, the total annual gross avoided-cost range is US\$250,000–US\$620,000, subject to potential overlap and offsetting costs. The following tables are illustrative scenarios rather than quantified project outcomes.




Figure 6: Benefits at a glance. Embedded deployment reduces integration touchpoints to maintain and collapses two systems into one

Table 2: Benefits of embedded deployment by area.

Benefit area	Proposed change	Mechanism	Financial or operational impact
Landscape cost	One system, not two	A separate EWM stack, its database, and its basic administration are retired.	Scenario assumption US\$150K–US\$400K/year (unverified)
Integration maintenance	fewer interfaces	Shared objects remove the core interface, queue replication, and monitoring.	Scenario assumption US\$60K–US\$120K/year (unverified)
Stock accuracy	one real-time picture	Inventory management and EWM share the same stock, so reconciliation gaps close.	Potentially less manual investigation; scenario assumption US\$40K–US\$100K/year (unverified)
Master data effort	no replication	Materials and partners are shared rather than copied and kept in sync.	Fewer data defects, faster changes
Process latency	real-time	Postings are immediate rather than queued across systems.	Faster feedback on the floor
Innovation access	current release	Embedded-only capabilities become available on the S/4HANA core.	A shorter path to new functionality

In the hypothetical financial scenario, separate EWM infrastructure/administration is the largest assumed saving category, followed by selected integration-monitoring effort and manual discrepancy investigation. Each input must be replaced by organization-specific evidence such as hosting invoices, license entitlements, basis/support hours, incident records and reconciliation times. Cost categories should be tested for overlap and additional capacity requirements in the embedded ERP system.

Table 3: Illustrative annual run rate savings for a mid-sized landscape.

Benefit lever	Estimated annual value
Retire the separate EWM stack (infrastructure, database, and basis administration).	\$150K to \$400K a year
Remove the core interface, queue replication, and their monitoring.	\$60K to \$120K a year in support effort
Fewer stock discrepancies and less manual reconciliation from a shared, real-time stock	\$40K to \$100K a year
Indicative annual run rate savings	US\$250K–US\$620K/year (gross scenario; unverified)

Note. All figures are illustrative author-selected scenario assumptions, not sourced industry benchmarks or empirical estimates. Low case: $150+60+40=US\$250K$ per year; high case: $400+120+100=US\$620K$ per year. Estimates are gross avoided cost before one-time migration expenditure, incremental target-platform cost, licensing changes, and duplicate accounting between levers. Actual benefits and payback require a separate, fully cost-effective organization-specific analysis.

5. CONCLUSION

Moving from decentralized SAP EWM to embedded EWM is a deployment and operating-model decision rather than an automatic technical upgrade. SAP SCM EWM 9.5's stated mainstream maintenance deadline of 31 December 2027 makes transition planning timely, but an independent decentralized EWM on SAP S/4HANA remains appropriate for some landscapes. The framework proposed here links a release-aware deployment assessment to measurable workload tests, transition-path feasibility, controlled data and document cutover, stock/HU reconciliation, go/no-go gates and mock rehearsals. The financial scenario illustrates possible cost categories, not validated annual savings; payback depends on actual migration expenditure, post-migration operating costs and realized benefits. Case studies and expert validation are required to test and refine these propositions.

STATEMENTS AND DECLARATIONS

Funding: This research received no external funding.

Conflicts of Interest: The author declares no conflict of interest.

Acknowledgments: Not applicable.

REFERENCES

- De Koster, R., Le-Duc, T., & Roodbergen, K. J. (2007). Design and control of warehouse order picking: A literature review. *European Journal of Operational Research*, 182(2), 481–501. <https://doi.org/10.1016/j.ejor.2006.07.009>
- Finney, S., & Corbett, M. (2007). ERP implementation: A compilation and analysis of critical success factors. *Business Process Management Journal*, 13(3), 329–347. <https://doi.org/10.1108/14637150710752272>
- Gu, J., Goetschalckx, M., & McGinnis, L. F. (2010). Research on warehouse design and performance evaluation: A comprehensive review. *European Journal of Operational Research*, 203(3), 539–549. <https://doi.org/10.1016/j.ejor.2009.07.031>
- Nah, F. F.-H., Lau, J. L.-S., & Kuang, J. (2001). Critical factors for successful implementation of enterprise systems. *Business Process Management Journal*, 7(3), 285–296. <https://doi.org/10.1108/14637150110392782>
- SAP. (2024, February 16). SAP Extended Warehouse Management FAQ Series: End of Mainstream Maintenance. SAP Community. <https://community.sap.com/t5/enterprise-resource-planning-blog-posts-by-sap/the-sap-extended-warehouse-management-faq-series-end-of-mainstream/ba-p/13607684>
- SAP. SAP Note 2911449. Updated Maintenance Timelines for SAP EWM Product Versions (SAP ONE Support Launchpad; access and release applicability may require authorization).
- SAP Help Portal. (2023). Staging Table Migration Approach for EWM in SAP S/4HANA. What's New in SAP S/4HANA 2023 FPS01. https://help.sap.com/docs/SAP_S4HANA_ON-PREMISE/e296651f454c4284ade361292c633d69/865fb91de2c745a19a13a9a775146be8.html
- SAP Help Portal. (2025). Integration with Extended Warehouse Management (EWM). SAP S/4HANA documentation. https://help.sap.com/docs/SAP_S4HANA_ON-PREMISE/c7894a248ca14f74aca67f97528e5ad7/3f41049c6380437db8eed921ed406d63.html
- SAP Help Portal. (2025). Communication from EWM to SAP S/4HANA. SAP S/4HANA documentation. https://help.sap.com/docs/SAP_S4HANA_ON-PREMISE/c7894a248ca14f74aca67f97528e5ad7/3f41049c6380437db8eed921ed406d63.html

PREMISE/9832125c23154a179bfa1784cdc9577a/65cecb53ad377114e10000000a174cb4.html

SAP Help Portal. (2025). Defining the Scope of a Business Scenario for Integrating SAP S/4HANA with Decentralized EWM Based on SAP S/4HANA. <https://help.sap.com/docs/s4hana-best-practices/administration-guide-to-implementation-of-sap-s-4hana-cloud-private-edition-2023-with-sap-best-practices/defining-scope-of-business-scenario-for-integrating-sap-s-4hana-with-decentralized-extended-warehouse-management-ewm-based-on-sap-s-4hana>